DRESDNER ROBIN

Environment

• Engineering

Management

371 Warren Street, Jersey City, New Jersey 07302-3035 (telephone) 201.217.9200 (fax) 201.217.9607

October 30, 1998

NOV - 9 1998

CERTIFIED MAIL Return Receipt Requested

Mr. Paul Harvey
Case Manager
Federal Case Management
New Jersey Department of
Environmental Protection
CN 028

Trenton, New Jersey 08625-0028

Re: Ironbound Recreation Center Football Fields and Playing Fields

Newark, New Jersey Project #B-124-04

Dear Mr. Harvey:

Pursuant to paragraph 37 of the Memorandum of Understanding (MOU) for the above-referenced site and on behalf of the City of Newark, this is to submit the enclosed Progress Report 17. The period covered by Progress Report 17 is from July 1, 1998 through September 30, 1998. Items relating to events during the reporting period are printed in BOLD.

Sincerely,

Dresdner Robin

William J. Stackle / OR

Enclosure(s)

cc: H. Lazarus, P.E., Newark

G. Rowen, Esq., Hoechst

E. Radow Sadat, Esq., Drinker Biddle & Reath

MOU PROGRESS REPORT 17 IRONBOUND RECREATION CENTER FOOTBALL FIELDS AND PLAYING FIELDS NEWARK, NEW JERSEY

REPORTING PERIOD:

July 1, 1998 – September 30, 1998

PURPOSE:

The purpose of this report is to detail the status of Respondent's (City of Newark) compliance with the provisions of the December 23, 1993 Memorandum of Understanding (MOU) for the Ironbound Recreation Center Football Fields and Playing Fields in Newark, New Jersey. The Progress Report has been prepared pursuant to Paragraph 37 of the MOU.

MOU Rèquirements Applicable to Reporting Period

Each MOU requirement applicable to the reporting period and the status of the Respondent's response to each requirement is described below according to MOU paragraph number. For each requirement, a notation is made indicating whether the requirement has been completed or is continuing and whether it is on schedule.

MOU Paragraph

15. Requirement:

Submit Draft Remedial Investigation Work Plan (RIWP).

Summary:

The RIWP was timely submitted on March 16, 1994. The RIWP was limited to subsurface soil and groundwater conditions since surface

soil had been previously investigated.

Status:

Completed

16. Requirement:

Respond to Department's comments on RIWP.

Summary:

The Department issued comments on the RIWP in correspondence

dated May 23, 1994. The Respondent timely responded to the

comments in correspondence dated June 13, 1994.

Status:

Completed



17. Requirement:

Conduct Remedial Investigation

Summary:

Written approval of the RIWP was issued on June 27, 1994. The RIWP field program was conducted during the period June 14, 1994 through July 1, 1994. Groundwater monitoring wells were sampled on July 21-22, 1994. Groundwater monitoring wells were resampled on May 20, 1998.

On April 22, 1998 exploratory test pits were conducted at three locations where a geophysical survey performed in 1994 identified anomalies potentially indicative of underground storage tanks or drums. The test pits did not identify any subsurface vessels or issues of environmental concern.

On July 13, 1998 soil sampling was performed to delineate the extent of subsurface contaminants at one location on the Playing Fields and two locations on the Football Field. The sampling results delineated the extent of subsurface contaminants at all three locations.

Additional delineation sampling was performed on October 30, 1998 to refine the delineation at one location.

In correspondence dated August 7, 1998 NJDEP approval was requested for abandonment of four groundwater monitoring wells at the Playing Fields. NJDEP approved the proposed well abandonment in October 22, 1998 correspondence.

Status:

Completed

18. Requirement:

Submit Remedial Investigation Report

Summary:

The Remedial Investigation (RI) Report for the surface soil at the Playing Fields portion of the site was submitted on March 16, 1994 pursuant to a separate Memorandum of Agreement (MOA). NJDEP issued comments on the Playing Fields RI Report in correspondence dated May 12, 1994. The Department's comments recommended that an evaluation of recreational exposure be conducted using the USEPA Uptake Biokinetic (UBK) Model for lead. In correspondence dated July 27, 1994, the Department advised that the residential cleanup criteria for lead had been revised to 400 mg/kg, thereby eliminating the need to conduct the UBK model. The letter further indicated that all issues concerning the surface soils at the Playing Fields had been addressed.



The Remedial Investigation Report for the subsurface soil and groundwater investigation was submitted January 23, 1995.

Status:

Awaiting NJDEP comments.

COMPLIANCE SUMMARY

The Respondent was in compliance with all MOU requirements during the reporting period.

MOU REQUIREMENTS TO BE INITIATED DURING NEXT REPORTING PERIOD

During the period October 1, 1998 through December 31, 1998, the Respondent anticipates implementation of the following MOU requirements:

MOU Paragraph 20:

Prepare response to any NJDEP comments on the RI report.

